

TYRES

Product group	Tyres
Item number	10001027
Valid tyre size	230 / 95 R 36
LI / SI / PR	130 A8 / 130 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM100



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- Particularly suitable for work on row crops.
- Good ride comfort.
- Narrow radial tyre.

Technical Informations

Item number	10001027
EAN	8059971030952
Valid tyre size	230 / 95 R 36
LI / SI / PR	130 A8 / 130 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM100
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	51,30
Recommended rim size	7
Permitted rim size	6
Maximum air pressure [bar].	4,00
Section width (mm)	235
Outer diameter of tyre [mm].	1365
Stat. radius (SLR) [mm]	645
Rolling circumference [mm].	4210
Tread depth (mm)	33,0
Number of lugs	21x2
Lug width (mm)	31
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
130 A8	1900	40		4,00	
130 B	1900	50		4,00	