

TYRES

Product group	Tyres
Item number	10001046
Valid tyre size	230 / 95 R 32
LI / SI / PR	128 A8 / 128 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM100



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- Particularly suitable for work on row crops.
- Good ride comfort.
- Narrow radial tyre.

Technical Informations

Item number	10001046
EAN	8059971030938
Valid tyre size	230 / 95 R 32
LI / SI / PR	128 A8 / 128 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM100
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	46,60
Recommended rim size	7
Permitted rim size	6
Maximum air pressure [bar].	4,00
Section width (mm)	235
Outer diameter of tyre [mm].	1265
Stat. radius (SLR) [mm]	595
Rolling circumference [mm].	3900
Tread depth (mm)	33,0
Number of lugs	21x2
Lug width (mm)	29
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
128 A8	1800	40		4,00	
128 B	1800	50		4,00	