

TYRES

Product group	Tyres
Item number	10002717
Valid tyre size	540 / 80 R 38
LI / SI / PR	172 A8 / 167 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip



Bohnenkamp
Moving Professionals



Notes and features

- The Michelin CrossGrip is a versatile municipal tyre for all-season use on roads, grass and snow.
- The tyre provides high loading capacities at speeds up to 65 km/h.
- Its special tread pattern design enables very good traction, even in wintry weather conditions.
- The tyre features excellent steering characteristics, also in reverse.

Technical Informations

Item number	10002717
EAN	3528705673673
Valid tyre size	540 / 80 R 38
LI / SI / PR	172 A8 / 167 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip
M+S	M+S
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	213,00
Recommended rim size	DW18L
Permitted rim size	DW16L
Maximum air pressure [bar].	3,20
Section width (mm)	561
Outer diameter of tyre [mm].	1856
Stat. radius (SLR) [mm]	833
Speed Radius Index (SRI)	875
Rolling circumference [mm].	5511
Contact area [cm ²]	2641
Tread depth (mm)	30,0
Number of lugs	42x2
Tyre capacity 75% [ltr.]	523.50
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
172 A8	6300	40		3,20	
167 D	5450	65		3,20	