

TYRES

Product group	Tyres
Item number	10002720
Valid tyre size	400 / 80 R 28
LI / SI / PR	158 A8 / 153 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip





Notes and features

- The Michelin CrossGrip is a versatile municipal tyre for all-season use on roads, grass and snow.
- The tyre provides high loading capacities at speeds up to 65 km/h.
- Its special tread pattern design enables very good traction, even in wintry weather conditions.
- The tyre features excellent steering characteristics, also in reverse.



Technical Informations

Item number	10002720
EAN	3528702196595
Valid tyre size	400 / 80 R 28
Alternative size 1	14.9R28
LI / SI / PR	158 A8 / 153 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip
M+S	M+S
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	96,00
Recommended rim size	DW13
Permitted rim size	W12, W13
Maximum air pressure [bar].	4,00
Section width (mm)	412
Outer diameter of tyre [mm].	1354
Stat. radius (SLR) [mm]	615
Speed Radius Index (SRI)	650
Rolling circumference [mm].	4094
Tread depth (mm)	27,0
Number of lugs	42x2
Tyre capacity 75% [ltr.]	159
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
158 A8	4250	40		4,00	
153 D	3650	65		4,00	