

TYRES

| | |
|-----------------|----------------------|
| Product group | Tyres |
| Item number | 10002722 |
| Valid tyre size | 440 /80 R 24 |
| LI / SI / PR | 161 A8 / 161 B |
| TL/TT | TL |
| Brand | Michelin |
| Tread pattern | BibLoad Hard Surface |



Notes and features

- The Michelin BibLoad Hard Surface is a tyre for telescopic and skid steer loaders.
 - It provides more traction on hard surfaces in dry, wet and slippery conditions.
- The high tread blocks ensure slower wear on abrasive surfaces.
 - Its reinforced sidewall provides better protection against impact damage.

Technical Informations

| | |
|---------------------------------|----------------------|
| Item number | 10002722 |
| EAN | 3528708148055 |
| Valid tyre size | 440 /80 R 24 |
| Alternative size 1 | 16.9R24 |
| LI / SI / PR | 161 A8 / 161 B |
| TL/TT | TL |
| Brand | Michelin |
| Tread pattern | BibLoad Hard Surface |
| Antistatic | No |
| Tyre colour | Black |
| Nettogewicht [kg] (gültig) | 108,00 |
| Recommended rim size | DW14L |
| Permitted rim size | 14, DW15L |
| Maximum air pressure [bar]. | 4,00 |
| Section width (mm) | 448 |
| Outer diameter of tyre [mm]. | 1299 |
| Stat. radius (SLR) [mm] | 586 |
| Speed Radius Index (SRI) | 625 |
| Rolling circumference [mm]. | 3861 |
| Contact area [cm ²] | 1541 |
| Tread depth (mm) | 32,0 |
| Tyre capacity 75% [ltr.] | 234 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 161 A8 | 4625 | 40 | | 4,00 | |
| 161 B | 4625 | 50 | | 4,00 | |