

TYRES

Product group	Tyres
Item number	10002730
Valid tyre size	480 / 70 R 30
LI / SI / PR	141 A8 / 141 B
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Turf RT 333



Notes and features

- The BKT Agrimax Turf RT 333 is a radial tyre for small tractors in gardening, wine or fruit cultivation.
- Its rounded tyre shoulder ensures low soil compaction and prevents damage to delicate soils.
- Thanks to the special directional block tread and the high tread pattern depth, the tyre provides good traction in the field and on the road and a long service life.
- Furthermore, the tyre has excellent self-cleaning properties.

Technical Informations

Item number	10002730
EAN	8903094075409
Valid tyre size	480 / 70 R 30
LI / SI / PR	141 A8 / 141 B
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Turf RT 333
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	115,37
Recommended rim size	W15L
Permitted rim size	W14L, W16L
Maximum air pressure [bar].	1,60
Section width (mm)	479
Outer diameter of tyre [mm].	1478
Stat. radius (SLR) [mm]	660
Speed Radius Index (SRI)	675
Rolling circumference [mm].	4396
Tread depth (mm)	30,5
Number of lugs	30x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
141 A8	2575	40		1,60	
141 B	2575	50		1,60	