

## TYRES

Product group	Tyres
Item number	10002970
Valid tyre size	VF 1000 / 50 R 25 CFO
LI / SI / PR	184 D / 181 E
TL/TT	TL
Brand	Alliance
Tread pattern	Agriflex 377 +



## Notes and features

- The Alliance Agriflex 377+ is a VF tyre for manure spreaders, sprayers, harvesting vehicles and grain carts.
- The new tread ensures a maximum contact area for low soil compaction and optimum traction.
- The rounded tyre shoulder protects the ground and prevents tyre damage caused by stubble.
- VF technology enables up to 40% higher load capacity at the same air pressure compared to standard tyres.
- The steel belted carcass and a strong wear-resistant rubber compound ensure stability and durability.
- The robust rubber compound effectively protects the tyre from damage (Stubble Guard) and ensures a long service life.

## Technical Informations

Item number	10002970
EAN	7291050085205
Valid tyre size	VF 1000 / 50 R 25 CFO
LI / SI / PR	184 D / 181 E
TL/TT	TL
Brand	Alliance
Tread pattern	Agriflex 377 +
TRA Code	R1
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	351,50
Recommended rim size	36.0TH / 1.5
Maximum air pressure [bar].	2,40
Section width (mm)	1030
Outer diameter of tyre [mm].	1645
Stat. radius (SLR) [mm]	703
Speed Radius Index (SRI)	775
Rolling circumference [mm].	4949
Contact area [cm <sup>2</sup> ]	4651
Tread depth (mm)	46,0
Number of lugs	18x2
Tyre capacity 75% [ltr.]	988.50
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
184 D	9000	65		2,40	