

## TYRES

Product group	Tyres
Item number	10626154
Valid tyre size	420 / 85 R 24
LI / SI / PR	137 D / 134 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85



Bohnenkamp  
■ ■ ● Moving Professionals

## Notes and features

- Narrow tyre for maintenance of row crops.
- High load capacity.
- Outstanding driving dynamics on the road.
- Very good traction and self-cleaning.
- Long service life.

## Technical Informations

Item number	10626154
EAN	3286340560313
Valid tyre size	420 / 85 R 24
Alternative size 1	16.9R24
LI / SI / PR	137 D / 134 E
TL/TT	TL
Brand	Firestone
Tread pattern	Performer 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	87,80
Recommended rim size	15
Permitted rim size	14
Maximum air pressure [bar].	1,60
Section width (mm)	446
Outer diameter of tyre [mm].	1323
Stat. radius (SLR) [mm]	595
Rolling circumference [mm].	3969
Tread depth (mm)	44,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	236.25
Guarantee period	10 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
137 D	2300	65		1,60	
134 E	2120	70		1,60	