

TYRES

Product group	Tyres
Item number	10626815
Valid tyre size	710 / 70 R 42
LI / SI / PR	173 D / 170 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction



Notes and features

- Agricultural tyre for high-performance tractors.
- Very good traction in fields.
- Excellent ride comfort on the road.
- Very low soil compaction.

Technical Informations

Item number	10626815
EAN	3286340544412
Valid tyre size	710 / 70 R 42
LI / SI / PR	173 D / 170 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	332,40
Recommended rim size	23
Maximum air pressure [bar].	2,40
Section width (mm)	732
Outer diameter of tyre [mm].	2096
Stat. radius (SLR) [mm]	942
Rolling circumference [mm].	6288
Tread depth (mm)	58,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	831.75
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
173 D	6500	65		2,40	
170 E	6000	70		2,40	