

TYRES

Product group	Tyres
Item number	10926488
Valid tyre size	300 / 95 R 42
LI / SI / PR	147 A8 / 144 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 90



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 90 is a modern row crop tyre for driving on row crops.
- The rounded lugs and lug shoulders effectively protect crops.
- The tyre is characterised by its excellent traction, high load capacity as well as excellent ride comfort at speeds up to 50 km/h.

Technical Informations

Item number	10926488
EAN	8059971055641
Valid tyre size	300 / 95 R 42
LI / SI / PR	147 A8 / 144 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 90
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	73,70
Recommended rim size	9
Permitted rim size	W10, W11
Maximum air pressure [bar].	4,00
Section width (mm)	306
Outer diameter of tyre [mm].	1617
Stat. radius (SLR) [mm]	753
Speed Radius Index (SRI)	775
Rolling circumference [mm].	4904
Tread depth (mm)	37,0
Number of lugs	28x2
Lug width (mm)	32
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
147 A8	3075	40		4,00	
144 B	2800	50		4,00	