

TYRES

Product group	Tyres
Item number	10926522
Valid tyre size	320 / 85 R 38
LI / SI / PR	143 A8 / 143 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10926522
EAN	8059971062243
Valid tyre size	320 / 85 R 38
Alternative size 1	12.4R38
LI / SI / PR	143 A8 / 143 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	73,80
Recommended rim size	W10
Permitted rim size	W9, W11
Maximum air pressure [bar].	3,60
Section width (mm)	322
Outer diameter of tyre [mm].	1518
Stat. radius (SLR) [mm]	701
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4580
Tread depth (mm)	40,0
Number of lugs	24x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 A8	2725	40		3,60	
143 B	2725	50		3,60	