

TYRES

Product group	Tyres
Item number	10926524
Valid tyre size	340 / 85 R 38
LI / SI / PR	148 A8 / 148 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10926524
EAN	8059971036411
Valid tyre size	340 / 85 R 38
Alternative size 1	13.6R38
LI / SI / PR	148 A8 / 148 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	88,70
Recommended rim size	W11
Permitted rim size	W12
Maximum air pressure [bar].	1,60
Section width (mm)	355
Outer diameter of tyre [mm].	1562
Stat. radius (SLR) [mm]	719
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4685
Tread depth (mm)	41,0
Number of lugs	24x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
148 A8	3150	40		1,60	
148 B	3150	50		1,60	