

TYRES

Product group	Tyres
Item number	10927630
Valid tyre size	320 / 85 R 24
LI / SI / PR	122 A8 / 122 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10927630
EAN	8059971064063
Valid tyre size	320 / 85 R 24
LI / SI / PR	122 A8 / 122 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	55,30
Recommended rim size	11
Permitted rim size	9, 10
Maximum air pressure [bar].	1,60
Section width (mm)	343
Outer diameter of tyre [mm].	1158
Stat. radius (SLR) [mm]	530
Speed Radius Index (SRI)	550
Rolling circumference [mm].	3484
Tread depth (mm)	40,0
Number of lugs	19x2
Lug width (mm)	36
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
122 A8	1500	40		1,60	
122 B	1500	50		1,60	