

## **TYRES**

Product group	Tyres	
Item number	10927670	
Valid tyre size	380 / 70 R 24	
LI / SI / PR	125 A8 / 125 B	
TL/TT	TL	
Brand	Mitas	
Tread pattern	AC 70 G	



Mitas

## Notes and features

- The AC 70 G is a grassland wide-base tyre with optimal road characteristics.
- The big, wide lugs provide excellent soil protection.
- Its wide contact area ensures high ride comfort on the road
- The wear-resistant rubber compound ensures a long service life.



## **Technical Informations**

Item number	10927670
EAN	8059971067156
Valid tyre size	380 / 70 R 24
LI / SI / PR	125 A8 / 125 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 G
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	63,50
Recommended rim size	12
Permitted rim size	11, 13
Maximum air pressure [bar].	1,60
Section width (mm)	385
Outer diameter of tyre [mm].	1190
Stat. radius (SLR) [mm]	540
Speed Radius Index (SRI)	575
Rolling circumference [mm].	3524
Tread depth (mm)	34,0
Number of lugs	18x2
Lug width (mm)	32
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
125 A8	1650	40		1,60	
125 B	1650	50		1,60	