

TYRES

Product group	Tyres
Item number	10927730
Valid tyre size	480 / 65 R 24
LI / SI / PR	136 A8 / 133 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65



Mitas

Notes and features

- The AC 65 is a powerful all-round wide tyre for use in the field and on the road.
- Thanks to its wide contact area, the soil is protected effectively.
- The wear-resistant rubber compound ensures a long service life.
- The tyre is characterised by a large air volume, guaranteeing a high transport performance.

Technical Informations

Item number	10927730
EAN	8059971064476
Valid tyre size	480 / 65 R 24
LI / SI / PR	136 A8 / 133 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	82,00
Recommended rim size	15
Permitted rim size	14, 13
Maximum air pressure [bar].	1,60
Section width (mm)	473
Outer diameter of tyre [mm].	1256
Stat. radius (SLR) [mm]	570
Speed Radius Index (SRI)	600
Rolling circumference [mm].	3764
Tread depth (mm)	40,0
Number of lugs	19x2
Lug width (mm)	41
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
136 A8	2240	40		1,60	
133 D	2060	65		1,60	