

TYRES

Product group	Tyres
Item number	10927960
Valid tyre size	650 / 75 R 32
LI / SI / PR	167 A8 / 164 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 H



Notes and features

- The AC 70 H is a tyre for harvesters with high load capacity at low inflation pressure.
- The wide tyre provides uniform pressure distribution and thus effective soil protection.
- Its professional damping reduces vibrations on the road, resulting in improved ride comfort.

Technical Informations

Item number	10927960
EAN	8059971058567
Valid tyre size	650 / 75 R 32
LI / SI / PR	167 A8 / 164 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 H
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	235,50
Recommended rim size	20
Permitted rim size	21
Maximum air pressure [bar].	2,40
Section width (mm)	650
Outer diameter of tyre [mm].	1795
Stat. radius (SLR) [mm]	790
Speed Radius Index (SRI)	850
Rolling circumference [mm].	5255
Tread depth (mm)	59,0
Lug width (mm)	53
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
167 A8	5450	40		2,40	
164 B	5000	50		2,40	