

## TYRES

Product group	Tyres
Item number	10927983
Valid tyre size	320 / 85 R 34
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp  
■ ■ ● Moving Professionals

**Mitas**

## Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

## Technical Informations

Item number	10927983
EAN	8059971035520
Valid tyre size	320 / 85 R 34
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	72,00
Recommended rim size	10
Permitted rim size	11, 9
Maximum air pressure [bar].	2,40
Section width (mm)	326
Outer diameter of tyre [mm].	1430
Stat. radius (SLR) [mm]	650
Speed Radius Index (SRI)	675
Rolling circumference [mm].	4285
Tread depth (mm)	41,0
Number of lugs	23x2
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 A8	2060	40		2,40	
133 B	2060	50		2,40	