

TYRES

Product group	Tyres
Item number	10927985
Valid tyre size	380 / 85 R 34
LI / SI / PR	146 A8 / 146 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10927985
EAN	8059971036435
Valid tyre size	380 / 85 R 34
Alternative size 1	14.9R34
LI / SI / PR	146 A8 / 146 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	96,40
Recommended rim size	12
Permitted rim size	13, 11
Maximum air pressure [bar].	2,40
Section width (mm)	401
Outer diameter of tyre [mm].	1538
Stat. radius (SLR) [mm]	699
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4577
Tread depth (mm)	43,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
146 A8	3000	40		2,40	
146 B	3000	50		2,40	