

TYRES

Product group	Tyres
Item number	10927990
Valid tyre size	420 / 85 R 34
LI / SI / PR	142 A8 / 142 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10927990
EAN	8059971062458
Valid tyre size	420 / 85 R 34
Alternative size 1	16.9R34
LI / SI / PR	142 A8 / 142 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	107,90
Recommended rim size	15
Permitted rim size	13, 14
Maximum air pressure [bar].	1,60
Section width (mm)	471
Outer diameter of tyre [mm].	1598
Stat. radius (SLR) [mm]	724
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4761
Tread depth (mm)	47,0
Number of lugs	21x2
Lug width (mm)	41-51
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
142 A8	2650	40		1,60	
142 B	2650	50		1,60	