

TYRES

Product group	Tyres
Item number	10928020
Valid tyre size	540 / 65 R 34
LI / SI / PR	148 A8 / 145 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65



Mitas

Notes and features

- The AC 65 is a powerful all-round wide tyre for use in the field and on the road.
- Thanks to its wide contact area, the soil is protected effectively.
- The wear-resistant rubber compound ensures a long service life.
- The tyre is characterised by a large air volume, guaranteeing a high transport performance.

Technical Informations

Item number	10928020
EAN	8059971057911
Valid tyre size	540 / 65 R 34
LI / SI / PR	148 A8 / 145 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	126,40
Recommended rim size	16
Permitted rim size	15, 18
Maximum air pressure [bar].	1,60
Section width (mm)	526
Outer diameter of tyre [mm].	1580
Stat. radius (SLR) [mm]	709
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4709
Tread depth (mm)	48,0
Lug width (mm)	39
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
148 A8	3150	40		1,60	
145 D	2900	65		1,60	