

TYRES

Product group	Tyres
Item number	10928135
Valid tyre size	520 / 70 R 38
LI / SI / PR	153 A8 / 150 D
TL/TT	TL
Brand	Mitas
Tread pattern	HC 70



Mitas

Notes and features

- The HC 70 is an all-round wide-base tyre with increased loading capacity.
- Its tread pattern provides excellent traction.
- Due to rounded lug edges and a round shoulder design, the soil is effectively protected, particularly during work on grassland.
- The wide tyre shoulder guarantees excellent ride comfort on the road.
- Economical operational costs thanks to minimised slip.



Technical Informations

Item number	10928135
EAN	8059971035391
Valid tyre size	520 / 70 R 38
LI / SI / PR	153 A8 / 150 D
TL/TT	TL
Brand	Mitas
Tread pattern	HC 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	159,50
Recommended rim size	16
Permitted rim size	15, 18
Maximum air pressure [bar].	1,60
Section width (mm)	536
Outer diameter of tyre [mm].	1751
Stat. radius (SLR) [mm]	790
Speed Radius Index (SRI)	825
Rolling circumference [mm].	5232
Tread depth (mm)	52,0
Number of lugs	21x2
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
153 A8	3650	40		1,60	
150 D	3350	65		1,60	