

## **TYRES**

Product group	Tyres	
Item number	12426336	
Valid tyre size	380 / 85 R 30	
LI / SI / PR	135 A8 / 132 B	
TL/TT	TL	
Brand	Kleber	
Tread pattern	Traker	





## **Notes and features**

- Very good traction through high tread lugs.
- Good self-cleaning.

• Even pressure distribution due to flat tread pattern.



## **Technical Informations**

Item number	12426336
EAN	3528701618869
Valid tyre size	380 / 85 R 30
Alternative size 1	14.9R30
LI / SI / PR	135 A8 / 132 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	78,00
Recommended rim size	13
Permitted rim size	12
Maximum air pressure [bar].	1,60
Section width (mm)	396
Outer diameter of tyre [mm].	1413
Stat. radius (SLR) [mm]	628
Rolling circumference [mm].	4188
Tread depth (mm)	43,0
Number of lugs	19x2
Lug width (mm)	39
Tyre capacity 75% [ltr.]	215
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
135 A8	2180	40		1,60	
132 B	2000	50		1,60	