## Bohnenkamp Moving Professionals

TYRES

Product group	Tyres
Item number	13326912
Valid tyre size	620 / 75 R 26
LI / SI / PR	166 A8 / 166 B
TL/TT	TL
Brand	Michelin
Tread pattern	MegaXBib





- Tyre for harvesters with very long service life.
- 2 steel belt plies.

• 3 casing plies with optimised ride comfort.

## Bohnenkamp Moving Professionals

## **Technical Informations**

Item number	13326912
EAN	3528706143205
Valid tyre size	620 / 75 R 26
LI / SI / PR	166 A8 / 166 B
TL/TT	TL
Brand	Michelin
Tread pattern	MegaXBib
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	186,00
Recommended rim size	20
Permitted rim size	18
Maximum air pressure [bar].	3,20
Section width (mm)	588
Outer diameter of tyre [mm].	1602
Stat. radius (SLR) [mm]	712
Rolling circumference [mm].	4748
Tread depth (mm)	46,0
Number of lugs	18x2
Lug width (mm)	61
Tyre capacity 75% [ltr.]	516
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
166 A8	5300	40		3,20	
166 B	5300	50		3,20	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.