

TYRES

Product group	Tyres
Item number	13326988
Valid tyre size	900 / 60 R 32
LI / SI / PR	176 A8 / 176 B
TL/TT	TL
Brand	Michelin
Tread pattern	MegaXBib





Notes and features

- Tyre for harvesters with very long service life.
- 2 steel belt plies.

• 3 casing plies with optimised ride comfort.



Technical Informations

Item number	13326988
EAN	3528700654073
Valid tyre size	900 / 60 R 32
LI / SI / PR	176 A8 / 176 B
TL/TT	TL
Brand	Michelin
Tread pattern	MegaXBib
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	381,00
Recommended rim size	27
Permitted rim size	30
Maximum air pressure [bar].	2,40
Section width (mm)	863
Outer diameter of tyre [mm].	1894
Stat. radius (SLR) [mm]	843
Rolling circumference [mm].	5614
Tread depth (mm)	56,0
Number of lugs	16x2
Lug width (mm)	69
Tyre capacity 75% [ltr.]	1031
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
176 A8	7100	40		2,40	
176 B	7100	50		2,40	