

TYRES

Product group	Tyres
Item number	13327950
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 D
TL/TT	TL
Brand	Michelin
Tread pattern	OmniBib



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- Wide-base tyre of the 70 series for medium-performance tractors.
- Outstanding traction and very good self-cleaning.
- Long service life due to high lugs.
- Excellent ride comfort due to flexible casing.

Technical Informations

Item number	13327950
EAN	3528702800331
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 D
TL/TT	TL
Brand	Michelin
Tread pattern	OmniBib
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	123,00
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	1,60
Section width (mm)	497
Outer diameter of tyre [mm].	1593
Stat. radius (SLR) [mm]	713
Rolling circumference [mm].	4728
Tread depth (mm)	50,0
Number of lugs	21x2
Lug width (mm)	40-47
Tyre capacity 75% [ltr.]	345
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 D	2725	65		1,60	