

## **TYRES**

Product group	Tyres	
Item number	13335201	
Valid tyre size	445 / 70 R 24	
LI / SI / PR	151 G	
TL/TT	TL	
Brand	Michelin	
Tread pattern	XM 47	





## **Notes and features**

- For Unimog and high-speed tractors.
- High tractive power.

• Excellent ride comfort.



## **Technical Informations**

Item number	13335201
EAN	3528701236421
Valid tyre size	445 / 70 R 24
LI / SI / PR	151 G
TL/TT	TL
Brand	Michelin
Tread pattern	XM 47
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	93,00
Recommended rim size	15
Permitted rim size	14
Maximum air pressure [bar].	4,10
Section width (mm)	460
Outer diameter of tyre [mm].	1242
Stat. radius (SLR) [mm]	564
Rolling circumference [mm].	3705
Tread depth (mm)	34,0
Number of lugs	18x2
Lug width (mm)	39
Tyre capacity 75% [ltr.]	210
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
151 G	3450	90		4,10	