

## TYRES

Product group	Tyres
Item number	13626274
Valid tyre size	440 / 65 R 28
LI / SI / PR	131 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800
Sonderpostenkategorie	DA



Bohnenkamp  
■ ■ ● Moving Professionals

  
**TRELLEBORG**

## Notes and features

- Modern agricultural tyre, approved up to 65 km/h.
- Maximum performance in the field due to extra-large contact area.
- High level of comfort.
- Long service life.

**Technical Informations**

Item number	13626274
EAN	4040658063503
Valid tyre size	440 / 65 R 28
LI / SI / PR	131 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	83,50
Recommended rim size	14
Permitted rim size	13
Maximum air pressure [bar].	1,60
Section width (mm)	441
Outer diameter of tyre [mm].	1283
Stat. radius (SLR) [mm]	583
Rolling circumference [mm].	3905
Tread depth (mm)	45,0
Number of lugs	21x2
Lug width (mm)	43
Tyre capacity 75% [ltr.]	226
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
131 D	1950	65		1,60	