

TYRES

Product group	Tyres
Item number	13626284
Valid tyre size	380 / 70 R 28
LI / SI / PR	127 A8
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700
Sonderpostenkategorie	DA



Bohnenkamp
Moving Professionals


TRELLEBORG

Notes and features

- The TM 700 is an agricultural radial tyre.
- It provides excellent traction in the field and maximum self-cleaning properties, comfort and very good handling on the road.
- Top-level driving performance.

Technical Informations

Item number	13626284
EAN	4040658066689
Valid tyre size	380 / 70 R 28
LI / SI / PR	127 A8
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	66,00
Recommended rim size	12
Permitted rim size	11, 13
Maximum air pressure [bar].	1,60
Section width (mm)	370
Outer diameter of tyre [mm].	1292
Stat. radius (SLR) [mm]	590
Rolling circumference [mm].	3890
Tread depth (mm)	44,0
Number of lugs	18x2
Lug width (mm)	41
Tyre capacity 75% [ltr.]	199
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
127 A8	1750	40		1,60	