

## TYRES

Product group	Tyres
Item number	13626346
Valid tyre size	420 / 70 R 30
LI / SI / PR	134 A8 / 134 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700



Bohnenkamp  
Moving Professionals

  
**TRELLEBORG**

## Notes and features

- The TM 700 is an agricultural radial tyre.
- It provides excellent traction in the field and maximum self-cleaning properties, comfort and very good handling on the road.
- Top-level driving performance.

## Technical Informations

Item number	13626346
EAN	8059971002119
Valid tyre size	420 / 70 R 30
LI / SI / PR	134 A8 / 134 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	115,50
Recommended rim size	13
Permitted rim size	14, 12
Maximum air pressure [bar].	1,60
Section width (mm)	415
Outer diameter of tyre [mm].	1400
Stat. radius (SLR) [mm]	636
Rolling circumference [mm].	4204
Tread depth (mm)	45,0
Lug width (mm)	44
Tyre capacity 75% [litr.]	266
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
134 A8	2120	40		1,60	
134 B	2120	50		1,60	