

TYRES

Product group	Tyres
Item number	13626459
Valid tyre size	600 / 65 R 34
LI / SI / PR	151 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800
Sonderpostenkategorie	DA



Bohnenkamp
■ ■ ● Moving Professionals


TRELLEBORG

Notes and features

- Modern agricultural tyre, approved up to 65 km/h.
- Maximum performance in the field due to extra-large contact area.
- High level of comfort.
- Long service life.

Technical Informations

Item number	13626459
EAN	4040658069635
Valid tyre size	600 / 65 R 34
LI / SI / PR	151 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	164,40
Recommended rim size	DW18
Permitted rim size	DW18L, W18L
Maximum air pressure [bar].	1,60
Section width (mm)	600
Outer diameter of tyre [mm].	1644
Stat. radius (SLR) [mm]	740
Rolling circumference [mm].	4920
Tread depth (mm)	55,0
Number of lugs	42x2
Lug width (mm)	49
Tyre capacity 75% [ltr.]	544
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
151 D	3450	65		1,60	