

TYRES

Product group	Tyres
Item number	13626752
Valid tyre size	900 / 60 R 42
LI / SI / PR	180 D / 177 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM900HP
Sonderpostenkategorie	DA



Notes and features

- The TM 900 High Power was developed specifically for the biggest agricultural machines and high-performance tractors.
- It offers extremely high load capacity.
- Due to its special design, the tyre transmits the vehicle's high torque and enables high traction on all soils.
- It is characterised through extraordinarily high ride comfort and safety.

Technical Informations

Item number	13626752
EAN	4040658057953
Valid tyre size	900 / 60 R 42
LI / SI / PR	180 D / 177 E
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM900HP
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	388,00
Recommended rim size	28
Permitted rim size	27, 30
Maximum air pressure [bar].	2,40
Section width (mm)	905
Outer diameter of tyre [mm].	2140
Stat. radius (SLR) [mm]	960
Rolling circumference [mm].	6425
Tread depth (mm)	62,0
Number of lugs	20x2
Lug width (mm)	55
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
180 D	8000	65		2,40	
177 E	7300	70		2,40	