

TYRES

Product group	Tyres
Item number	15226744
Valid tyre size	620 / 75 R 26
LI / SI / PR	167 A8 / 164 B
TL/TT	TL
Brand	Alliance
Tread pattern	360



Notes and features

- Universal agricultural wide-base tyre for tractors, harvesters and other farm machinery.
- High air volume for increased load capacity and low ground pressure.
- Adapted lugs for massive traction and very good ride comfort at the same time.
- Strong radial casing with reinforced bead and sidewall for a long service life.

Technical Informations

Item number	15226744
EAN	8903635010722
Valid tyre size	620 / 75 R 26
Alternative size 1	23.1R26
LI / SI / PR	167 A8 / 164 B
TL/TT	TL
Brand	Alliance
Tread pattern	360
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	166,85
Recommended rim size	DW20B
Maximum air pressure [bar].	3,20
Section width (mm)	605
Outer diameter of tyre [mm].	1590
Stat. radius (SLR) [mm]	730
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4685
Tread depth (mm)	46,5
Tyre capacity 75% [litr.]	493
Guarantee period	7 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
167 A8	5450	40		3,20	
164 B	5000	50		3,20	