

TYRES

Product group	Tyres
Item number	15227799
Valid tyre size	380 / 90 R 46
LI / SI / PR	165 A8 / 165 B
TL/TT	TL
Brand	Alliance
Tread pattern	FarmPRO Radial 90



Bohnenkamp
■ ■ ● Moving Professionals

 **ALLIANCE**

Notes and features

- Farm PRO row crop tyre of the 90 series for tractors and field sprayers.
- R-1W drive tread pattern and large contact area for good traction and low soil pressure.
- Improved driving stability for use even on slopes.
- Good self-cleaning properties due to dirt crushers between the lugs.
- Reinforced beads and sidewalls as well as a wide lug contact area in the centre provide high ride comfort.

Technical Informations

Item number	15227799
EAN	8903635007814
Valid tyre size	380 / 90 R 46
Alternative size 1	14.9R46
LI / SI / PR	165 A8 / 165 B
TL/TT	TL
Brand	Alliance
Tread pattern	FarmPRO Radial 90
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	143,96
Recommended rim size	W12
Permitted rim size	W11, W13
Maximum air pressure [bar].	4,90
Section width (mm)	380
Outer diameter of tyre [mm].	1855
Stat. radius (SLR) [mm]	866.00
Rolling circumference [mm].	5591
Tyre capacity 75% [ltr.]	269
Guarantee period	7 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
165 A8	5150	40		4,90	
165 B	5150	50		4,90	