

## TYRES

Product group	Tyres
Item number	15726787
Valid tyre size	IF 600 / 70 R 30 CFO
LI / SI / PR	165 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Force



## Notes and features

- BKT Agrimax Force is an IF tyre for high performance tractors with more than 250 hp.
- It offers 20% higher load capacity at the same air pressure or the same load capacity at 20% lower air pressure compared to a standard tyre.
- The large contact area enables a uniform distribution of ground pressure and therefore optimum soil protection.
- Its strong polyester belt carcass provides good traction and stability on all surfaces and long tyre life.
- The tyre guarantees driving comfort in the field and during transport trips on the road without the need to adjust the air pressure.

## Technical Informations

Item number	15726787
EAN	8903094045211
Valid tyre size	IF 600 / 70 R 30 CFO
LI / SI / PR	165 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Force
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	189,00
Recommended rim size	DW21B
Permitted rim size	DW20A, DW20B
Maximum air pressure [bar].	2,40
Section width (mm)	603
Tread width (mm)	560
Outer diameter of tyre [mm].	1602
Stat. radius (SLR) [mm]	708
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4800
Tread depth (mm)	57,5
Number of lugs	20x2
Lug width (mm)	44
Tyre capacity 75% [ltr.]	469.13
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
165 D	5150	65		2,40	