

TYRES

Product group	Tyres
Item number	18545090
Valid tyre size	185 R 14 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	BK Trailer
Tread pattern	203



Notes and features

- Reinforced sidewall design.
- The special flat tread design for trailer & caravan use ensures optimum running smoothness and driving stability.
- Low abrasion due to a special rubber compound.
- Increased payload.

Technical Informations

Item number	18545090
EAN	4040658065705
Valid tyre size	185 R 14 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	BK Trailer
Tread pattern	203
M+S	M+S
Rolling resistance	D
Wet grip	D
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	9,10
Recommended rim size	5.5J
Permitted rim size	5J, 6J
Maximum air pressure [bar].	4,48
Section width (mm)	188
Outer diameter of tyre [mm].	650
Stat. radius (SLR) [mm]	295
Rolling circumference [mm].	1979
Tread depth (mm)	6,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140	Single	4,48	
102 N	850	140	Twin	4,50	